

Statically Checking MPI Type Safety

Dmitri Gribenko <gribozavr@gmail.com>
High Performance Computing Center
at NTUU “KPI”

MPI

```
int data[10];
```

```
MPI_Send(data, 10, MPI_INT, /* ... */);
```

MPI

```
int data[10];
```

```
MPI_Send(data, 10, MPI_INT, /* ... */);
```

MPI

```
double data[10];
```

```
MPI_Send(data, 10, MPI_INT, /* ... */);
```

MPI and C Type System

```
int MPI_Send(void *buf,  
            int count,  
            MPI_Datatype datatype,  
            /* ... */);
```

Solution: annotations

- Changes in:
 - mpi.h
 - compiler
- Advantages:
 - No changes in users' MPI programs
 - Header-only change
 - All checks are done in compile-time

Annotations

```
int MPI_Send(void *buf, int count, MPI_Datatype datatype, ...)  
    __attribute__(( pointer_with_type_tag(MPI,1,3) ));  
  
extern struct ompi_predefined_datatype_t ompi_mpi_int  
    __attribute__(( type_tag_for_datatype(MPI,int) ));  
  
#define MPI_INT      (&ompi_mpi_int)  
  
double *double_buf;  
MPI_Send(double_buf, 1, MPI_INT, /* ... */);
```

Diagnostics

```
wrong.c:151:12: warning: argument type 'double *'  
      doesn't match specified 'mpi' type tag  
      that requires 'int *' [-Wtype-safety]
```

```
MPI_Send(double_buf, 1, MPI_INT, /*...*/);
```

~~~~~

~~~~~

Implementation Status

- Implemented in mainline Clang
- Annotated mpi.h for MPICH2, available in version 1.5rc1
- Patch for OpenMPI is under review