



LLVM for Interactive Modeling and High Performance Simulation

Peng Cheng Nathan Brewton Dale Martin




Model Based Design

MATLAB® SIMULINK®




- Aerospace and defense
- Automotive
- Biotech and pharmaceutical
- Electronics and semiconductors
- Industrial automation and machinery
- Medical devices
- ...




An Example of Interactive Modeling




An Example of Interactive Modeling




An Example of Interactive Modeling





Model





Component



Shared Library-Based Simulation




Shared Library-Based Simulation




- Prevent global **Model** optimizations
 - Variable elimination
 - Index reduction
 - Constant folding
 - Function inline

Multiple Thread LLVM-Based Simulation





Multiple Thread LLVM-Based Simulation



Results

- LLVM-based backend of new simulation engines in production code
 - Consistent floating point numerical computation
 - Support multiple threads on 64bit Linux, 32bit and 64bit Windows, 64bit Intel Mac
- Performance (win64 with LLVM 3.2 JIT)



Challenges

- Shared library support for large scale software
 - Multiple linkage of static LLVM library is painful
- JIT performance
 - CodeGenOpt: None, Less, Default, Aggressive (targeted for code quality)
 - New option targeted for fast JIT ?
- Exception handling on Windows
 - Propagate through JIT code the exception thrown from the external functions
- Legacy JIT to MCJIT transition

Thank You !

